



Pneumatic Cylinders





Fluidline Services are statewide distributors for Norgren Australasia. Their range includes a comprehensive range of Pneumatic Cylinders. Most common are their Bore Sizes from 32mm to 200mm. Various accessories are also available.

ISO-VDMA Cylinders

Conforming to ISO 6431, VDMA 24562 and NFE 49-003-1 standards. Seven ranges including SMART cylinder with stainless steel versions for all requirements. Double and single acting models with bore sizes from 32-200mm. Comprehensive choice of mountings.



ISO Cylinders

Double and single acting conforming to ISO 6432. Standard dimensions including mounting pitch and piston rod thread. Bore sizes from 10mm to 25mm (standard) 12mm to 125mm (stainless steel) Magnetic piston as standard. Adjustable cushioning optional





Non ISO-VDMA Cylinders

Alternative designs are available where space and profile are concerned. Compact cylinders have a considerably reduced overall length for stroke and come in two different designs. Roundline cylinders have a reduced length and a clean line profile.



Pneumatic Grippers


Norgren's family of grippers offers limitless solutions - Whether assembling electronic components or unloading production lines, handling test tubes or packaging foodstuffs.

Service Kits

The majority of cylinders are repairable. Please refer to the particular cylinder for details of the service kits available.

Mountings

A large selection of mountings exist for all cylinder ranges.



Switches - Magnetically Operated

Reed and solid state switches for position sensing.





“Your Fluid Power, Filtration & Lubrication Engineers.”